



**कनकाई नगरपालिका**  
**नगर कार्यपालिकाको कार्यालय**  
जमुनबारी झापा, कोशी प्रदेश, नेपाल



**अपाङ्गता सहायक सामग्री खरिद सम्बन्धी**

**विद्युतीय शिलबन्दी दरभाउपत्र फाराम**

सम्झौता संकेत नं.: KANAKAI/SQ/Goods/2081/82-06

जारी मिति: २०८१/१२/२७



## खण्ड १: विद्युतीय शिलबन्दी दरभाउपत्र आह्वानको सूचना

### कनकाई नगरपालिका

नगर कार्यपालिकाको कार्यालय

जमुनबारी झापा, कोशी प्रदेश, नेपाल

फोन: ०२३-४०११५५, ईमेल: kanakai.mun@gmail.com



~~अपाङ्गता सहायक सामग्री खरिद सम्बन्धी विद्युतीय शिलबन्दी दरभाउपत्र आह्वानको सूचना~~  
अपाङ्गता सहायक सामग्री खरिद सम्बन्धी सूचना प्रकाशित मिति: २०८१/१२/२७

- कनकाई नगरपालिकाको कार्यालयमा आ.व. २०८१/८२ मा आवश्यक अपाङ्गता सहायक सामग्री खरिद गर्नका लागि प्रचलित सार्वजनिक खरिद ऐन २०६३ को दफा ४० तथा सार्वजनिक खरिद नियमावली २०६४ को नियम ८४ अनुसार सम्पूर्ण दरभाउपत्रदाताहरूको जानकारीको लागि विद्युतीय दरभाउपत्र (Electronic Bidding) आह्वान गरिन्छ।
- खरिद सम्बन्धी विवरणहरू:-

| क्र. स. | सम्झौता संकेत नं.:            | दरभाउपत्र विवरण             | दरभाउपत्र पेश गर्ने अन्तिम मिति तथा समय | दरभाउपत्र फारम शुल्क | दरभाउपत्र मान्य हुने अवधी    | दरभाउपत्र जमानत रकम (बैंक जमानत वा धरौटी खातामा नगद जम्मा) | दरभाउपत्र जमानतको मान्य हुने न्यूनतम अवधी |
|---------|-------------------------------|-----------------------------|---|----------------------|------------------------------|--|---|
| १.      | KANAKAI/SQ /Goods/2081/8 2-06 | अपाङ्गता सहायक सामग्री खरिद | २०८२/०१/११ मध्याह्न १२:०० बजे           | रु.१,०००/-           | दरभाउपत्र खोले दिनबाट ४५ दिन | रु. ३०,०००/-   | ७५ दिन                                    |

- दरभाउपत्र पेश गर्न इच्छुक दरभाउपत्रदाताहरूले थप जानकारी लिन वा दरभाउपत्र सम्बन्धी कागजात हेर्न नगरपालिकामा सम्पर्क गर्न सकिनेछ वा विद्युतीय खरिद प्रणाली ([www.bolpatra.gov.np/egp](http://www.bolpatra.gov.np/egp)) बाट प्राप्त गर्न सकिनेछ।
- दरभाउपत्र सम्बन्धी कागजात खरिद गर्न दरभाउपत्र कागजातको दस्तुर रु.१,०००/- यस नगरपालिकाको नाममा नेपाल बैंक लिमिटेड, सुरुङ्गा, को राजश्व शिर्षक नं. १४२२९ मा राजश्व मोडुलको भौचर मार्फत राजस्व खाता नं.: १४७०३०००००१००१०००००१ मा जम्मा गर्नुपर्नेछ र जम्मा गरेको सक्कल भौचरको स्क्यान प्रति विद्युतीय दरभाउपत्र साथ पेश (Upload) गर्नुपर्नेछ।
- तोकिएको मिति र समय भित्र प्राप्त भएका दरभाउपत्र सोही दिनको अपरान्ह १२:३० बजे उपस्थित हुन चाहने दरभाउपत्रदाताका प्रतिनिधिहरूको रोहवरमा यस नगरपालिकाको कार्यालयमा खोलिनेछ तर दरभाउपत्रदाताका प्रतिनिधिको उपस्थिति नभए पनि प्राप्त भएका दरभाउपत्रहरू खोल्न कुनै बाधा पर्ने छैन।
- दरभाउपत्रसाथ माथिको तालिकामा उल्लेख भए बमोजिम दरभाउपत्र जमानत पेश गर्नु पर्नेछ र उक्त दरभाउपत्र जमानतको मान्य हुने अवधी दरभाउपत्रको मान्य हुने अवधी भन्दा कमिमा ३० दिन बढी अवधी सम्मको हुनुपर्नेछ।
- दरभाउपत्रदाताले दरभाउपत्र जमानत बापत नगदै राख्न चाहेमा यस नगरपालिकाको नाममा नेपाल बैंक लिमिटेड, सुरुङ्गा शाखामा रहेको धरौटी खाता नं.: १४७०३०००००३००००००००१ मा जम्मा गरी बुझिने गरी सक्कल भौचरको स्क्यान प्रति विद्युतीय दरभाउपत्र साथ पेश (Upload) गर्नुपर्नेछ।
- एक दरभाउपत्रदाताले एकलै वा संयुक्त उपक्रमको रूपमा एउटा मात्र दरभाउपत्र पेश गर्न पाउनेछ। कुनै दरभाउपत्रदाताले एक भन्दा बढी दरभाउपत्र पेश गरेको अवस्थामा त्यस्तो दरभाउपत्रहरू मान्य हुनेछैन।
- नेपाल सरकार, सार्वजनिक खरिद अनुगमन कार्यालय वा अन्य कुनै दातृ संस्थाको सहयोगमा संचालित आयोजनाको हकमा त्यस्तो दातृ संस्थाबाट कुनै दरभाउपत्रदातालाई कालोसूचीमा राखी दरभाउपत्र पेश गर्न अयोग्य ठहर भएको भए त्यस्ता दरभाउपत्रदातालाई नेपाल सरकार, सार्वजनिक खरिद अनुगमन कार्यालय वा अन्य कुनै दातृ संस्थाबाट कालोसूचीमा राख्न घोषित अवधिसम्म दरभाउपत्र पेश गर्न ग्राह्य हुनेछैन।
- दरभाउपत्र सम्बन्धी कागजातमा रहेका कुनै बिषयमा स्पष्ट हुन चाहने इच्छुक दरभाउपत्रदाताले दरभाउपत्र पेश गर्नुपर्ने अन्तिम मिति भन्दा पाँच दिन अगावै नगरपालिकामा सम्पर्क गरि प्रष्टीकरण प्राप्त गर्न सक्नेछन।

*[Signature]*  
२०८१/१२/२७

नारायण न्यौपाने  
प्रमुख प्रशासकीय अधिकृत



११. दरभाउपत्रदाताले पेश गर्ने दरभाउपत्रमा निम्न कागजातहरु बुझिने गरी भर्ना गर्नुपर्नेछ।

क. कानूनी ग्राह्यता सम्बन्धी कागजातहरु:

- सम्बन्धित क्षेत्रमा कार्य गर्ने गरी स्थापना भएको संस्था (फर्म/कम्पनी) दर्ता प्रमाणपत्र नविकरण समेत (प्रतिलिपि पेश गर्नुपर्ने, उद्देश्य खुल्ने कागजातको प्रतिलिपि समेत)
- उल्लेखित कार्य गर्न इजाजत आवश्यक पर्ने भए सम्बन्धित निकायबाट जारी इजाजत पत्र नविकरण समेत
- मू.अ.कर (VAT) दर्ता प्रमाणपत्रको छायाप्रति
- आ.व. २०८०/८१ को कर चुक्ता प्रमाणपत्रको छायाप्रति
- सम्बन्धित पालिकाको व्यवसाय दर्ता प्रमाणपत्रको छायाप्रति आ व २०८१/८२ को नविकरण समेत

ख. दरभाउपत्र जमानत (नगद जम्मा वा बैंक जमानत)

ग. अख्तियारी पत्र (दरभाउपत्रमा संचालक बहेको हस्ताक्षर भएमा)




घ. अंकित मूल्य सूची BOQ




ङ. दरभाउपत्र खरिद गरेको बिल/भौचर/प्रमाण

१२. दरभाउपत्र टाइप गरिएको वा नमेटिने मसीले लेखिएको र अधिकार प्राप्त व्यक्तिले हस्ताक्षर गरेको हुनुपर्नेछ। कुनै थपघट, फेरबदल, केरमेट गरिएको वा सच्याइएको स्थानमा सोहि व्यक्तिले हस्ताक्षर गरेको हुनुपर्नेछ।
१३. पेश भएका दरभाउपत्रको पूर्णता, ग्राह्यता तथा कबोल रकमको मूल्यांकन गरी सबै भन्दा न्यून रकम कबोल गर्ने सारभूत रुपमा प्रभावग्राही दरभाउपत्र छनौट गरिनेछ।
१४. दरभाउपत्रदाताले दरभाउपत्र फारमको प्रत्येक पाना एवं सामग्रीको दररेट भरी आफुले कबोल गरेको रकम अंक र अक्षर प्रष्ट हुने गरी उल्लेख गर्नुपर्नेछ। कदरभाउ रकमको अंक र अक्षरमा रकम फरक परेमा अक्षरमा लेखिएको रकमलाई आधार मानी कूल कबोल रकम गणना गरिनेछ।
१५. दरभाउपत्रदाताले आपूर्ति गर्ने सामग्रीहरु कार्यालयले निर्धारण गरेको स्पेशिफिकेशनमा उल्लेख भए बमोजिमको हुनु पर्ने छ। स्पेशिफिकेशनमा उल्लेख भए भन्दा फरक गुणस्तरको सामग्री भएमा कार्यालयले उक्त सामग्री स्वीकार गर्ने छैन।
१६. विस्तृत स्पेशिफिकेशन नभएका क्याडीपोड स्टिक र ईन्सेटिप स्पाईरोमिटर सामग्री पालिकाले तोकेको फीजियोथेरापिस्टले तोके बमोजिम हुनेछ।
१७. दरभाउपत्रमा उल्लेखित सामग्रीको परिमाण कार्यालयले आवश्यकता अनुसार थप घट गर्न सक्ने छ। थपघट भएता पनि दरभाउपत्रदाताले कबोल गरेको दररेटमा परिवर्तन गर्न पाउने छैन।
१८. सम्झौता गर्नुअघि कुनै पनि समयमा कारण खुलाई वा नखुलाई कुनैपनि दरभाउपत्र स्वीकार वा अस्वीकार गर्ने वा दरभाउपत्रको प्रक्रिया रद्द गर्ने वा सम्पूर्ण दरभाउपत्र अस्वीकार गर्ने अधिकार नगरपालिका निहित रहनेछ। यसरी रद्द वा अस्वीकार गर्दा दरभाउपत्रदाताप्रति नगरपालिकाको कुनै दायित्व रहनेछैन।
१९. सम्झौता भए पश्चात कार्यदिश जारी भए पश्चात सम्झौता प्रारम्भ भएको मानिनेछ।
२०. प्रस्तावित कार्यको निमित्त छनौट भएको दरभाउपत्रदाता दरभाउपत्र प्रक्रियाको प्रतिस्पर्धामा सहभागी हुँदा कुनै किसिमको भ्रष्टाचार वा जालसाजीजन्य कार्यमा संलग्न भएको ठहरिएमा वा नगरपालिकालाई रकम बुझाउनु बाँकी बक्यौता भएको ठहरिएमा नगरपालिकाले त्यस्तो दरभाउपत्रदातासँग खरिद सम्झौता गर्न अस्वीकार गर्नेछ।
२१. अन्य व्यवस्था प्रचलित कानून बमोजिम हुनेछ।

नारायण न्यौपाने  
प्रमुख प्रशासकीय अधिकृत

## सहायक सामग्री र मापदण्ड

|    | ASSISTIVE DEVICE   | DEFINITION   | SPECIFICATION   |
|----|--|--|---|
| 1. | <b>Axillary Crutches</b><br>ISO Code: 12.03.12<br>      | Devices providing support when walking that have a horizontal padded support that is placed against the upper body next to the armpit                              | <p>Constructed from mild steel aluminium alloy tubes.</p> <p>Double molded hand grip with soft cushioning.</p> <p>Height-adjustment mechanism: double height adjustment (handgrip and shaft)</p> <p>Tips securely fitted and made from durable rubber</p> <p>Max/min adjustable height: 984/745 ± 5 mm</p> <p>Weight bearing capacity: 120kg</p> <p>Size: Large, Medium, Small</p>  |
| 2. | <b>Elbow Crutches</b><br>ISO Code: 12.03.06<br>        | Devices, adjustable in height, providing support when walking that have a semi-circular support for the elbow, a horizontal hand grip, a single shaft, and one tip | <p>Short- or long-term use for child or adult who needs support to balance or bear weight through their legs</p> <p>Cuff: closed/semi-circle hinged/fixed attachment</p> <p>Ergonomically molded handgrip</p> <p>Shaft: height-adjustable fitted with tip</p> <p>Height-adjustment mechanism: quick-release</p> <p>single height adjustment (shaft only)</p> <p>double height adjustment (cuff and shaft)</p> <p>Complete assembly with appropriate tip for environment Tips securely fitted and made from durable rubber</p> <p>Three to four different sizes to fit children and adults (e.g. child, youth, adult, tall adult)</p> <p>Bariatric range for users over 120 kg</p> |
| 3. | <b>Walking sticks/canes</b><br>ISO Code: 12.03.03<br> | Adjustable/non-adjustable mobility device with a handgrip<br><br>Types:<br>L-stick<br>Tripods<br>Quadri pods   | <p>Constructed from mild steel aluminum alloy tubes.</p> <p>ABS handle with comfortable grip.</p> <p>Height-adjustment mechanism: Telescopic, quick-release</p> <p>Soft gel on handle top</p> <p>Tips securely fitted, non-slip, and replaceable or interchangeable</p> <p>Weight bearing capacity: 110kg</p> <p>Size: Large, Medium, Small</p>   |

|           |  |  |   |
|-----------|--|--|---|
| <p>4.</p> | <p><b>Walking Frames / Walker</b><br/>ISO Code: 12.06.03</p>    | <p>Frame that helps a person to maintain stability and balance while walking or standing, with either four tips (ferrules) or two tips and two castors</p> | <p>Rigid steel frame<br/>Foldable with net height of 10 cm<br/>Foam hand grips for extra comfort.<br/>Width/ folded depth: 52cm/10cm<br/>Height: From 79 to 91.5 cm<br/>Weight bearing capacity: 3.3kg/125kg<br/>Size: Large, Medium, Small</p>   |
| <p>5.</p> | <p><b>Rollator</b></p>   |  | <p>Short- or long-term use for adult who is frail or needs support to balance or bear weight through their legs Specific characteristics</p> <ol style="list-style-type: none"> <li>1. Pushed in front of user</li> <li>2. Frame: <ul style="list-style-type: none"> <li>• folding or rigid</li> <li>• height-adjustable handgrips</li> <li>• four wheels</li> <li>• seats</li> </ul> </li> <li>3. Height-adjustment mechanism: <ul style="list-style-type: none"> <li>• telescopic</li> <li>• quick-release</li> </ul> </li> <li>4. Handgrips: <ul style="list-style-type: none"> <li>• molded grips</li> </ul> </li> </ol> <p>Requirements for standard configuration</p> <ul style="list-style-type: none"> <li>• Two handgrips</li> <li>• Four wheels with diameter 100 mm</li> <li>• Driving and parking brakes</li> <li>• Fold-down seat May include basket Size range to fit all adults Bariatric range for users over 120 kg</li> </ul> |
| <p>6.</p> | <p><b>Manual Wheelchairs</b><br/>ISO Code: 12.22.03</p> <p>Types:</p> <ul style="list-style-type: none"> <li>• Active</li> <li>• Semi-active</li> <li>• Rough terrain</li> </ul>  | <p>Intended to be self-propelled by the users by pushing rims or wheels. Can be used indoor/outdoor and on various types of terrain.</p>                   | <ol style="list-style-type: none"> <li>1. <b>Active wheelchair</b><br/>Wheelchair with folding or rigid frame, three or four wheels with large rear wheels, seat and backrest, armrests and footrests <ul style="list-style-type: none"> <li>• <u>Frame</u>: frame with mechanism(s) to fold or dismantle</li> <li>• <u>Backrest</u> or back posts with adjustable height or supplied with range of back posts with fixed height.</li> <li>• <u>Footrests</u>: with adjustable height to accommodate people with shorter and longer legs. Two flip-up, swing-away or removable footrests on folding frame</li> <li>• <u>Rear wheels</u>: quick-release or removable without tools</li> <li>• <u>Puncture-proof</u> or pneumatic rear tyres and front castors</li> </ul> </li> <li>2. <b>Rough terrain wheelchair</b></li> </ol>   |



Wheelchair with folding or rigid frame; three, four or more wheels, with two larger drive wheels; seat and backrest; and footrests behind front castors

- May be lever-propelled
- Longer wheelbase than active wheelchair; larger overall length than transport wheelchair with large rear wheels
- Low center of gravity to ensure stability
- Rear wheels and castors appropriate for outdoor rough terrain

Frame: frame with mechanism(s) to fold or dismantle, push-handles can be integrated into frame, supplied as an add-on component or omitted, integrated stability options for feet, backrest or back-posts with adjustable height or supplied with range of back-posts with fixed height

Backrest: tension-adjustable backrest or rigid backrest that can be adjusted independently from back-posts, quick-release mechanism to be removed to allow folding

Footrests with adjustable height. Two flip-up, swing-away or removable footrests on folding frames.

Rear wheels (manual propelling): with push-rims or lever-propelled and quick-release or removable without tools for rigid frames for transport; optional for wheelchairs with folding frame. Wider or larger-tread tyres

Puncture-proof or pneumatic, rear tyres and front castors

Rear and front wheels (lever propelling): size and width of front and rear wheels appropriate for rough terrain and wheelchair design, three or multiple wheels, puncture-proof or pneumatic wheels

Cushion:

Supplied with cover that meets general design requirements; for users with incontinence, a water-resistant cover or lining to protect cushion should be supplied

- overall height approximately 70–120 mm
- allows full or deep offloading or immersion (sinking into) and envelopment (conforming to shape) 40–45 mm) or deeper
- different length options or adjustable in length

7.

**Wheelchair with postural support (CP wheelchair)**






Intended for Child or adult with intermediate or advanced posture support needs who requires variable tilt or recline, or larger range of static tilt or recline than available on manual wheelchairs




- For users who self-propel or




- Rigid frame or frame with mechanism to fold
- Three or four wheels, push-handles,
- Range of integrated or included postural support device and posture support cushion
- Large-range adjustable recline and large-range adjustable and variable (dynamic) tilt
- Rear wheels and front castors appropriate for indoor and outdoor mixed terrain




Requirements for standard configuration



|    |  |  |  |
|----|--|--|--|
|    |  | need to be assisted  | <ul style="list-style-type: none"> <li>integrated mechanism or adjustment options to prevent tip-over when chair used with tilt or recline</li> <li>Footrests with adjustable height; available in at least two adjustment ranges on all sizes of wheelchair to accommodate people with shorter and longer legs; two flip-up, swing-away or removable footrests for wheelchairs with folding frames</li> <li>Mechanism or adjustment options available to maintain backwards stability with maximum combined seat and backrest configuration adjustments</li> <li>For self-propelled wheelchairs: adjustment options to improve reach to rear</li> </ul> <p><u>Rear wheels:</u></p> <ul style="list-style-type: none"> <li>quick-release or removable without tools on rigid frames for self-propelled wheelchairs</li> </ul> <p><u>Castors:</u></p> <ul style="list-style-type: none"> <li>Puncture-proof or pneumatic rear tyres and front castors</li> </ul> <p><u>Back rest and support</u></p> <ul style="list-style-type: none"> <li>Height adjustable or available in different lengths to optimize trunk support (at least at shoulder height or higher)</li> <li>Rigid seat and backrest: removable without tools on folding frame.</li> <li>Headrest attached to back of backrest and with adjustable forward and backward, sideways, height and angle; must be able to support head behind, in line or in front of back support as required.</li> <li>Pelvis strap (positioning belt) with adjustable length</li> <li>Adjustable and removable knee separator pad (medial knee support); may be integrated in cushion; standard on child size and optional on adult size</li> <li>Calf or foot straps with adjustable length</li> <li>Tray table or flip-up or removable armrests with adjustable height</li> <li>Outside (lateral) thigh or knee pads (supports) for seat, shoulder harness and chest strap</li> </ul> |
| 8. | <b>Tricycles</b><br>ISO Code: 12.18.09 | Trikes or three-wheeled cycles for greater mobility and mostly for outdoor use | <ul style="list-style-type: none"> <li>Disability hand operated tricycle, heavy duty which includes seat with backrest, footrest platform, single handed steering.</li> <li>Body parts made of steel</li> <li>Overall dimension: Length: 1,750mm, Width: 720mm, Height: 1,000mm, Weight: 38kg</li> <li>Seat size: Width: 400mm, Depth: 380mm, High: 650mm</li> <li>Frame tube: diameter: 25.4mm, thickness: 11.5mm; Powder coated or stainless steel</li> </ul> <p>Note: Locally manufactured item available in Nepal.</p>   |




|     |   |  |  |
|-----|---|--|--|
|     |    |  |  |
| 9.  | <p><b>Modified shoes/ Orthopedic shoes/ Footwear for diabetes /neuropathic foot</b><br/>ISO Code: 06.33.30</p>  | <p>Orthopedic shoes are specially designed footwear intended to provide support, proper alignment, comfort, and relief for individuals with various foot and lower limb conditions or deformities.</p> | <p>Orthopedic shoes come in various styles and can accommodate a range of foot conditions, from common problems like bunions and hammertoes to more serious conditions associated with arthritis or diabetes</p> <p>Specification<br/>Materials most include leather, foam rubbers, cellular polymers having long durability and comfortable wearing with ease.</p> <p>Size: Individual measurement should be taken</p> <p>Note: Locally manufactured item available in Nepal.</p> |
| 10. | <p><b>Club foot shoes/ Foot abduction braces</b></p>   | <p>Device used in the treatment of club foot</p>   | <p>Individual measurement should be taken at the referred center<br/>Note: Locally manufactured item available in Nepal.</p>   |

|     |   |  |   |
|-----|---|--|---|
| 11. | <b>Ankle-Foot Orthotics (AFO) / Orthosis for foot drop</b><br>ISO Code: 06.12.06<br> | Orthosis that encompasses the ankle joint and the whole or part of the foot  | Externally applied customized appliances/ device used to support, assist, or correct the weakened segment of the lower extremity in the subtalar region, ankle, and foot.<br><br>Specifications:<br>1. Made of durable and elastic polypropylene.<br>2. Suitable for all types of shoes, can be used while wearing shoes<br>3. Help with dorsal flexion<br>4. Light weight, strong durability and load bearing<br>5. Colors and details can be customized<br>Size: Individual measurement should be taken at the referred center<br><br>Note: Locally manufactured item available in Nepal. |
| 12. | <b>Knee Ankle Foot Orthotics (KAFO)/ Caliper</b><br>ISO Code: 06.12.12<br>          | Orthosis that encompasses the knee and ankle joints and the foot   | A KAFO is a device that is used to control instabilities in the knee and lower limb by maintaining proper alignment and controlling motion.<br>Specification<br>1. Made of durable and elastic polypropylene.<br>2. Suitable for all types of shoes, can be used while wearing shoes<br>3. Help with dorsal flexion<br>4. Light weight, strong durability and load bearing<br>5. Colors and details can be customized<br><br>Size: Individual measurement should be taken at the referred center<br><br>Note: Locally manufactured item available in Nepal.                                 |
| 13. | <b>Prosthesis</b><br>  | Upper/ Lower limb prosthesis:<br>The device that encompasses or support the part of upper and lower limb<br>ISO Code: 06.24.09<br>ISO Code: 06.24.15<br>ISO Code: 06.18.15<br>ISO Code: 06.18.09 | Size: Individual measurement should be taken at the referred center<br>Note: Locally manufactured/customized item available in Nepal.   |

|   |   |  |
|---|---|--|
| <p>14. <b>Spinal orthosis/ spinal braces</b><br/>ISO Code: 06.03.09</p>  | <p>Thoraco-lumbo-sacral orthoses/brace :<br/>Orthosis that encompasses the whole or part of the thoracic, lumbar and sacro-iliac regions of the trunk</p> | <p>Size: Individual measurement should be taken at the referred center<br/>Note: Locally manufactured/customized item available in Nepal.</p>  |
| <p>15. <b>CP Chair</b><br/>ISO Code 18.09.39</p>                        |   | <ul style="list-style-type: none"> <li>• CP Chair (with adjustable incline &amp; tray) Hardwood &amp; ply board constructed, naturally finished Chair reclines through an arc and can be adjusted to any desired position.</li> <li>• Comes with adjustable foam padded headrest which can be formed &amp; reformed as needed.</li> <li>• High back supports &amp; holds the child with wide belt.</li> <li>• Laminated activity Tray size 56cm x 63cm with polished wooden raised edges, holds the items from falling.</li> <li>• Adjustable Seat &amp; Foot board are 30cm wide and suits the small children. Mounted on ball bearing castors.</li> <li>• Knee separator</li> </ul> <p>Size: Individual measurement should be taken.<br/>Note: Locally manufactured item available in Nepal.</p> |
| <p>16. <b>CP standing frame</b></p>                                    |   | <ul style="list-style-type: none"> <li>• Weight: 35kg</li> <li>• Material: PVC+ Wood and steel frame+ Soft cushion + Vinyl nylon straps</li> <li>• Suitable age: 5-15 years old children (90cm - 130cm)</li> <li>• Height Adjustable for Customized Support</li> <li>• Provides Proper Standing Positions</li> <li>• Improves Posture, Trunk Control, and Balance</li> <li>• Supports Weight-Bearing Exercises and Lower Limb Strengthening</li> <li>• Durable Construction for Longevity</li> </ul> <p>Size: Individual measurement should be taken<br/>Note: Locally manufactured item available in Nepal.</p>   |

|     |   |  |   |
|-----|---|--|---|
| 17. | <b>Toilet Chair/ Commode chairs</b><br>ISO Code: 09.12.03<br>                                  | Chairs, with or without castors, with a built-in collection receptacle used for toileting away from the bathroom | <ul style="list-style-type: none"> <li>• Foldable</li> <li>• Fixed or removable backrest Seat with aperture</li> <li>• Removeable collection bucket (pan)</li> <li>• User capacity 100 kg</li> <li>• Height adjustable</li> </ul> |
| 18. | <b>Glass for low vision (High power spectacles, Distance glass)</b><br>ISO Code: 22.03.06<br> | Distance glasses focus on things that are further away in positive selected power grades                         | Individual need as per prescribed by technical person   |
| 19. | <b>Magnifying Glass</b><br>ISO Code: 22.03.09<br>  | Convex lens that is used to produce a magnified image of an object   | Individual need as per prescribed by technical person   |

|     |   |  |   |
|-----|---|--|---|
| 20. | <b>White Cane</b><br>ISO Code: 12.39.03<br>  | Devices for navigation or identification of the surroundings used by a person with a visual impairment | <ul style="list-style-type: none"> <li>• Aluminum alloy</li> <li>• Made of high quality 4 section aluminum construction.</li> <li>• Canes fold and unfold with ease, good to storage in your bag.</li> <li>• Cane shaft is covered with red and white reflector tape for nighttime visibility.</li> <li>• It comes with standard wrist strap and reinforced nylon tip</li> <li>• Weight of 0.53 lb.</li> <li>• Length range:<br/>Tall adults: 145 cm <math>\pm</math> 5 cm<br/>Adults: 120–140 cm <math>\pm</math> 5 cm<br/>Children: 70 cm <math>\pm</math> 5 cm</li> <li>• Plastic or rubber handgrip of length 20 cm and diameter 2.5 cm and wrist loop</li> </ul> |
| 21. | <b>Semi-Digital and Digital hearing aids with program and volume control</b><br>ISO Code: 22.06.15<br> | Devices worn behind the ear to amplify sound.  | <p>Amplification frequency response and maximum output (OSPL) that meets requirements of standard prescription formulae (e.g. Desired Sensation Level v.5 or National Acoustics Laboratories NL2)</p> <p>Frequency range should be 200–4500 Hz (minimum)</p> <p>Digital Hearing aids with programs, memory, noise cancellation and volume control etc.<br/> Suitable for any severity of hearing loss from moderate (40 dB) to profound (90 dB) degree.</p> <p>At least two preset hearing programs Preconfigured (stock or disposable) ear inserts in variety of sizes or custom made earmolds</p>   |

|    |   |  |  |
|----|---|--|--|
| 22 | <b>Air Mattress / Pressure relief mattress</b><br>ISO Code: 04 33 06<br> | Effective alternating pressure system and is an ideal for prevention and bedsores treatment of patients at low risk of pressure ulcers.  | <ul style="list-style-type: none"> <li>Composed of 2.5"-high bubble cells overlay mattresses and easy to install.</li> <li>Simple to operate , portable and light-weight, this mattress useful for pressure ulcer prevention and treatment.</li> <li>On/Off switch &amp; rotary dial for pressure setting.</li> <li>Comfortable, Perfect finish, Robust design,</li> </ul> <p> Air output: 6 - 7 liter/min.<br/> Pressure: 40- 100 mmHg<br/> Cycle time: 5 to 6 min.<br/> Size: 26.5cm (L) x 11cm (W)x 12.5cm (H)<br/> Weight: 1.5 kg </p> |
| 23 | <b>LS Belt</b><br>  | This product is well-designed with specially shaped, semi-rigid splints to effectively support and immobilize. It helps keep the lower back in a natural position and reduces low back pain.                                 | <ul style="list-style-type: none"> <li>Semi rigid splint for effective immobilization</li> <li>Pre shaped splints for postural correction</li> <li>Elasticized body ensures strong comfortable compression</li> <li>Highly porous elastic improves ventilation and breathability.</li> <li>Double pull mechanism provides extra compression</li> </ul>   |
| 24 | <br>Semi Fowler Bed  | Semi Fowler Bed with Blue Color ABS Head and Foot Boards Single function bed in which the patient's head end can be raised with the help of a handle from 0° to 80-85°. Accessories- ABS Head-Foot Board Provision of IV Rod | Semi Fowler Bed with Any Color ABS Head and Foot Boards Single function bed in which the patient's head end can be raised with the help of a handle from 0° to 80-85°. Accessories- ABS Head-Foot Board Provision of IV Rod  |

- नोट:यो सहायक सामग्रीको मापदण्ड Priority Assistive Products List(PAPL) को अनुसार रहेको छ ।

सन्दर्भ दस्तावेज



# कनकाई नगरपालिका

नगर कार्यपालिकाको कार्यालय

जमुनबारी झापा, कोशी प्रदेश, नेपाल

अपाङ्गता सहायक सामग्री खरिद सम्बन्धी BOQ

*(Signature)*

भोजराज आचार्य  
अध्यक्ष

| सि.नं.                   | खरिद सामग्रीको विवरण                                      | परिमाण | एकाई | दर अंकमा | दर अक्षरमा | अधिकृत | भ्याट १३ प्रतिगत | जम्मा रकम |
|--------------------------|---|--------|------|----------|------------|--------|------------------|-----------|
| १                        | हिल चियर (सहायक सामग्री र मापदण्डको सि.नं. ६)             | २४     | थान  |          |            |        |                  |           |
| २                        | टयाईलेट चियर (सहायक सामग्री र मापदण्डको सि.नं. १७)        | १२     | थान  |          |            |        |                  |           |
| ३                        | वाकर (सहायक सामग्री र मापदण्डको सि.नं. ४)                 | २५     | थान  |          |            |        |                  |           |
| ४                        | रोलेटर (सहायक सामग्री र मापदण्डको सि.नं. ५)               | २      | थान  |          |            |        |                  |           |
| ५                        | ट्राईपोट (फीजियोथेरापिस्टले सिफारिस बमोजिम)               | १      | थान  |          |            |        |                  |           |
| ६                        | एल्बोकच (सहायक सामग्री र मापदण्डको सि.नं. २)              | २      | थान  |          |            |        |                  |           |
| ७                        | क्याडीपोड स्टिक (फीजियोथेरापिस्टले सिफारिस बमोजिम)        | ३      | थान  |          |            |        |                  |           |
| ८                        | बैशाखी (एक्जुलरी कच) (सहायक सामग्री र मापदण्डको सि.नं. १) | ९      | थान  |          |            |        |                  |           |
| ९                        | सिपि हिल चियर (सहायक सामग्री र मापदण्डको सि.नं. ७)        | ४      | थान  |          |            |        |                  |           |
| १०                       | ट्राई साईकल (सहायक सामग्री र मापदण्डको सि.नं. ८)          | ३      | थान  |          |            |        |                  |           |
| ११                       | सिपि चियर (सहायक सामग्री र मापदण्डको सि.नं. १५)           | १      | थान  |          |            |        |                  |           |
| १२                       | एल क्यान (सहायक सामग्री र मापदण्डको सि.नं. २०)            | १०     | थान  |          |            |        |                  |           |
| १३                       | इनसेन्टिव स्पाइरोमिटर (फीजियोथेरापिस्टले सिफारिस बमोजिम)  | १      | थान  |          |            |        |                  |           |
| १४                       | एयर नेट्रक्स (सहायक सामग्री र मापदण्डको सि.नं. २२)        | १      | थान  |          |            |        |                  |           |
| १५                       | बेड (मोबिल) (सहायक सामग्री र मापदण्डको सि.नं. २४)         | २      | थान  |          |            |        |                  |           |
| कुल जम्मा रकम भ्याट समेत |   |        |      |          |            |        |                  |           |

नोट-

भ्याट योग्य सामग्रीको मात्र भ्याट रकम उल्लेख गर्नुपर्नेछ ।